

[View this email in your browser](#)

 Share  Tweet  Forward

in this issue...

- [New Device May Decrease Symptoms](#)
- [Men: Treat ADHD to Improve Your Health](#)
- [Webinar: When a Preschooler Has ADHD](#)
- [ADHD in the News](#)



New Device May Decrease Symptoms

A recently approved device promises to reduce ADHD symptoms as well as nonstimulant medications. CHADD's resident expert considers the possible [benefits of this encouraging development.](#)

Men: Treat ADHD to Improve Your Health

ADHD symptoms easily get in the way of wellness. So, how can men keep themselves healthy while also

addressing ADHD? [Two experts on ADHD and men's health weigh in.](#)



Ask the Expert

ADHD in Preschoolers: What to Look For and How to Help
Featuring E. Mark Mahone, PhD, ABPP
May 16, 2019 | 2 p.m. ET

[Register Now](#)

Deciding if your child should be tested for ADHD during the preschool years is not easy. Most families wait until children start school before an evaluation. But when needed, ADHD can be diagnosed as early as three years old.

What do you need to know before seeking an evaluation? And how can you and your child's health care provider determine what behaviors are part of normal development and which ones signal possible ADHD symptoms?

Dr. Mark Mahone will talk with participants about ADHD in preschoolers, best practices for treatment, and obstacles that families often face in getting their children needed help. He'll also share with parents strategies they can use to enhance healthy brain development and reduce learning vulnerabilities in preschoolers.

 **ADHD** *in the News*

- Parents cautious of new FDA-approved device for kids with ADHD
- ADHD Tied to Short Stature in Early Childhood
- Does Diet Affect a Child's ADHD?
- Children With ADHD More Likely To Engage In Substance Use At Earlier Ages
- Adults with ADHD represent an important subgroup of OCD
- Brain's support network may play key role in attention deficit, hyperactivity behaviors
- ADHD Treatment Strategies Are Based on Evidence

Read these and other articles in the [ADHD in the News weekly digest](#).

Did You Know?

The abbreviations “ADD” and “ADHD” both refer to attention deficit/hyperactive disorder. The presentations with and without hyperactivity were considered to be different conditions until 1994. Realizing they were different expressions of the same executive function disorder, experts combined them under one heading. Learn more at [Frequently Asked Questions](#).

[NRC Website](#)

[Facebook](#)

[Twitter](#)

[Youtube](#)

[Instagram](#)

*Copyright © 2019 Children & Adults with ADHD—CHADD, All rights reserved.
4601 Presidents Drive, Suite 300
Lanham, MD 20706*

Want to change how you receive these emails?
You can subscribe to the newsletter or unsubscribe from this list